

ENDURA^{ROOF} WARRANTY PROGRAM

A roof restoration system from EnduraRoof® extends the life cycle of your roof, resulting in a cost-effective alternative to a full replacement.

EnduraRoof® Acrylic Restoration Warranty Program

10-Year Acrylic Restoration Warranty

Existing Roof Substrate	Granulated cap sheet	Smooth cap sheet/ BUR (non-aggregate)	Aged or 1.0" new SPF	Single ply membrane (TPO/PVC/EPDM)	Metal
PC	As required	As required	As required	As required	As required
BC	EnduraRoof Premium Acrylic Elastomeric Roof Coating	15 mils DFT min. 1.75 gal./sq.	13 mils DFT min. 1.50 gal./sq.	13 mils DFT min. 1.50 gal./sq.	13 mils DFT min. 1.50 gal./sq.
TC	EnduraRoof Premium Acrylic Elastomeric Roof Coating	17 mils DFT min. 2.00 gal./sq.	13 mils DFT min. 1.50 gal./sq.	13 mils DFT min. 1.50 gal./sq.	13 mils DFT min. 1.50 gal./sq.
Total (min. thickness)		32 mils DFT min. 3.75 gal./sq.	26 mils DFT min. 3.00 gal./sq.	26 mils DFT min. 3.00 gal./sq.	26 mils DFT min. 3.00 gal./sq.

15-Year Acrylic Restoration Warranty

Existing Roof Substrate	Granulated cap sheet	Smooth cap sheet/ BUR (non-aggregate)	Aged or 1.5" new SPF	Single ply membrane (TPO/PVC/EPDM)	Metal
PC	As required	As required	As required	As required	As required
BC	EnduraRoof Premium Acrylic Elastomeric Roof Coating	17 mils DFT min. 2.00 gal./sq.	13 mils DFT min. 1.50 gal./sq.	13 mils DFT min. 1.50 gal./sq.	13 mils DFT min. 1.50 gal./sq.
TC	EnduraRoof Premium Acrylic Elastomeric Roof Coating	17 mils DFT min. 2.00 gal./sq.	17 mils DFT min. 2.00 gal./sq.	17 mils DFT min. 2.00 gal./sq.	17 mils DFT min. 2.00 gal./sq.
Total (min. thickness)		34 mils DFT min. 4.00 gal./sq.	30 mils DFT min. 3.50 gal./sq.	30 mils DFT min. 3.50 gal./sq.	30 mils DFT min. 3.50 gal./sq.

20-Year Acrylic Restoration Warranty

Existing Roof Substrate	Granulated cap sheet	Smooth cap sheet/ BUR (non-aggregate)	Aged or 1.5" new SPF	Single ply membrane (TPO/PVC/EPDM)	Metal
PC	As required	As required	As required	As required	As required
BC	EnduraRoof Premium Acrylic Elastomeric Roof Coating	17 mils DFT min. 2.00 gal./sq.	13 mils DFT min. 1.50 gal./sq.	13 mils DFT min. 1.50 gal./sq.	13 mils DFT min. 1.50 gal./sq.
TC1	EnduraRoof Premium Acrylic Elastomeric Roof Coating	17 mils DFT min. 2.00 gal./sq.	13 mils DFT min. 1.50 gal./sq.	13 mils DFT min. 1.50 gal./sq.	13 mils DFT min. 1.50 gal./sq.
TC2	EnduraRoof Premium Acrylic Elastomeric Roof Coating	13 mils DFT min. 1.50 gal./sq.	17 mils DFT min. 2.00 gal./sq.	17 mils DFT min. 2.00 gal./sq.	17 mils DFT min. 2.00 gal./sq.
Total (min. thickness)		47 mils DFT min. 5.50 gal./sq.	43 mils DFT min. 5.00 gal./sq.	43 mils DFT min. 5.00 gal./sq.	43 mils DFT min. 5.00 gal./sq.

Acrylic – Ancillary components for all warranted assemblies

Application		Product name	Product description	Coverage rate
Metal seams, fasteners and defects	S	EnduraRoof Acrylic Roof Patch	Roofing sealant	Varies by application
MB/BUR fasteners/defects	Option 1	EnduraRoof Acrylic Roof Patch	Roofing sealant	Varies by application
	Option 2	EnduraRoof Polyester Reinforcing Fabric	Reinforcement fabric	300 linear feet per 6" x 300' roll
Single ply fasteners/defects	S	EnduraRoof Acrylic Roof Patch	Roofing sealant	Varies by application
MB/BUR cap sheet and single ply seams	S	EnduraRoof Acrylic Roof Patch	Roofing sealant	37.5 linear feet per gallon applied at 1/8" thick and 4" wide 25 linear feet per gallon applied at 1/8" thick and 6" wide

PC Primer coat **BC** Base coat **TC** Top coat **S** Sealant

NOTES: DFT = Dry Film Thickness (minimum requirement). Product coverage rates represent minimum application requirement. Coverage rates are theoretical and do not take into account material loss due to spraying, surface texture, waste, etc. For previously coated roof membranes, the product coverage rates indicated in the charts above are applicable.

BUILT FOR ROOFS AND THE PROS WHO WORK ON THEM

EnduraRoof® Silicone Warranty Program

10-Year Silicone Warranty

Existing Roof Substrate	Granulated cap sheet	Smooth cap sheet/ BUR (non-aggregate)	Aged or New 1" PremiR+ EVO SPF ¹	Single-ply membrane (TPO/PVC/EPDM/Hypalon®) ²	Metal*
BC EnduraRoof Base Coat & Sealer	1.25 gal./sq. (11 mils DFT)	1.00 gal./sq. (9 mils DFT)	N/A	N/A	N/A
TC EnduraRoof Premium Silicone White Roof Coating	2.00 gal./sq. (30 mils DFT)	1.50 gal./sq. (22 mils DFT)	1.50 gal./sq. (22 mils DFT)	1.50 gal./sq. (22 mils DFT)	1.50 gal./sq. (22 mils DFT)

15-Year Silicone Warranty

Existing Roof Substrate	Granulated cap sheet	Smooth cap sheet/ BUR (non-aggregate)	Aged or New 1.5" PremiR+ EVO SPF ¹	Single-ply membrane (TPO/PVC/EPDM/Hypalon®) ²	Metal*
BC EnduraRoof Base Coat & Sealer	1.25 gal./sq. (11 mils DFT)	1.00 gal./sq. (9 mils DFT)	N/A	N/A	N/A
TC EnduraRoof Premium Silicone White Roof Coating	2.50 gal./sq. (37 mils DFT)	2.00 gal./sq. (30 mils DFT)	2.00 gal./sq. (30 mils DFT)	2.00 gal./sq. (30 mils DFT)	2.00 gal./sq. (30 mils DFT)

20-Year Silicone Warranty³

Existing Roof Substrate	Granulated cap sheet	Smooth cap sheet/ BUR (non-aggregate)	Aged or New 1.5" PremiR+ EVO SPF ¹	Single-ply membrane (TPO/PVC/EPDM/Hypalon®) ²	Metal*
BC EnduraRoof Base Coat & Sealer	1.25 gal./sq. (11 mils DFT)	1.00 gal./sq. (9 mils DFT)	N/A	N/A	N/A
TC EnduraRoof Premium Silicone White Roof Coating	3.00 gal./sq. (44 mils DFT)	2.50 gal./sq. (37 mils DFT)	2.50 gal./sq. (37 mils DFT)	2.50 gal./sq. (37 mils DFT)	2.50 gal./sq. (37 mils DFT)

Application	Product name	Product description	Coverage rate
S Penetrations, flashings and seams	EnduraRoof Butter-Grade Silicone Roof Sealer	Butter grade sealant	75 linear feet per 2 gallon pail applied at 1/8" thick and 4" wide
TC Penetrations, flashings and seams	EnduraRoof Premium Silicone White Roof Coating [†]	Silicone white roof coating	4 wet mils at 4" wide and 200 linear feet per gallon
Optional primer	EnduraRoof Silicone Roofing Primer	For metal, single-ply and previously coated roofs	500 square feet per gallon unit
Fastener head encapsulation	EnduraRoof Pitch Pocket & Self-Leveling Roof Sealer	Fastener sealer for metal roofs/pitch pocket sealer	100 fasteners per 10.1 fl. oz. cartridge
Punctures	EnduraRoof Silicone White Roof Sealant	Standard grade silicone sealant	100 punctures per 10.1 fl. oz. cartridge

* For slopes greater than 3:12, contact Technical Support or the local EnduraRoof® sales representative. Include a stretch factor increase of 15 to 30% when calculating metal roof surface area.

† Treatment option is for 10- and 15-year systems.

Material Plus Warranty

This warranty option provides material and labor coverage at no charge during the applicable warranty term to repair the affected roof area when product manufacturing defects have been determined. Product(s) must be installed by a Material Plus Authorized Contractor.

Material Plus Warranty Process

- Step 1.** Complete Authorized Contractor Application for EnduraRoof Materials Plus Warranty and submit to EnduraRoofWarranty@Carlisle.com.
- Step 2.** Complete EnduraRoof Extended Warranty Application available on [QXO.com](https://www.qxo.com).
- Step 3.** Complete the project following the appropriate warranty application rates as listed for warranty term.
- Step 4.** Warranty typically issued within 10 business days upon completion of warranty application and project.

Call 610-933-8888 or email EnduraRoofWarranty@Carlisle.com for more warranty information.

¹ For new SPF, 1" is required for 10-year warranty and 1.5" is required for 15- and 20-year warranties.

² Use EnduraRoof Silicone Roofing Primer as required.

³ EnduraRoof Butter-Grade Silicone Roof Sealer is required on all field seams and parapets, 1/8" (125 mil) extending a minimum of 2" past area.

PC Primer coat **BC** Base coat **TC** Top coat **S** Sealant

NOTES: DFT = Dry Film Thickness (minimum requirement). Product coverage rates represent minimum application requirement. Coverage rates are theoretical and do not take into account material loss due to spraying, surface texture, waste, etc. For previously coated roof membranes, the product coverage rates indicated in the charts above are applicable.

ENDURA^{ROOF}

Exclusively available at QXO (formerly Beacon Building Products)
QXO.com

122.3US.E989 (04/26)