



EVALUATION REPORT

FLORIDA BUILDING CODE 8TH EDITION (2023)

Manufacturer: BEACON SALES ACQUISITIONS, INC. *Issued October 5, 2023*
c/o OWENS CORNING ROOFING AND ASPHALT LLC
1 Owens Corning Parkway
Toledo, OH 43657
(800) 438-7465

Manufacturing Plants: Minneapolis, MN
Houston, TX

Quality Assurance: PRI Construction Materials Technologies (QUA9110)

SCOPE

Category: Roofing
Subcategory: Roofing Accessories that are an Integral Part of the Roofing System
Code Edition: Florida Building Code, 8th Edition (2023)
Code Sections: 1507.2.5
Properties: Physical properties

REFERENCES

<u>Entity</u>	<u>Report No.</u>	<u>Standard</u>	<u>Year</u>
UL LLC (EVL11342)	UL ER2453-01	ASTM D 3462	2016

PRODUCT DESCRIPTION

Tri-Built Starter Strip ASTM D 3462 equivalent fiberglass reinforced, asphalt starter course shingles with factory applied sealant. Starter shingles dimensions are 6-5/8-inch x 39-3/8-inch.

INSTALLATION

Installation of the Tri-Built Starter Strip shall comply with the manufacturer's published application instructions.

LIMITATIONS

- 1) This report is not for use in the HVHZ.
- 2) Fire and Wind Classification are not within the scope of this evaluation.
- 3) The roof deck and the roof deck attachment shall be designed by others to meet the minimum design loads established for components and cladding and in accordance with FBC requirements.
- 4) Deck substrates shall be clean, dry, and free from any irregularities and debris. All fasteners in the deck shall be checked for protrusion and corrected prior to underlayment application.
- 5) Installation of the evaluated products shall comply with this report, the FBC, and the manufacturer's published application instructions. Where discrepancies exist between these sources, the more restrictive and code compliant detail shall prevail.
- 6) All products listed in this report shall be manufactured under a quality assurance program in compliance with Rule 61G20-3.

COMPLIANCE STATEMENT

The products evaluated herein by Zachary R. Priest, P.E. have demonstrated compliance with the Florida Building Code, 8th Edition (2023) as evidenced in the referenced documents submitted by the named manufacturer.



**This item has been
digitally signed and
sealed by Zachary R.
Priest, PE, on 10/5/2023.**

**Printed copies of this
document are not
considered signed and
sealed and the signature
must be verified on any
electronic copies.**

Zachary R. Priest, P.E.
Florida Registration No. 74021
Organization No. ANE9641

CERTIFICATION OF INDEPENDENCE

CREEK Technical Services, LLC does not have, nor will it acquire, a financial interest in any company manufacturing or distributing products under this evaluation.

CREEK Technical Services, LLC is not owned, operated, or controlled by any company manufacturing or distributing products under this evaluation.

Zachary R. Priest, P.E. does not have, nor will acquire, a financial interest in any company manufacturing or distributing products under this evaluation.

Zachary R. Priest, P.E. does not have, nor will acquire, a financial interest in any other entity involved in the approval process of the product.

END OF REPORT