

TRI-BUILT® EF ECO GEN II PART 2

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME:	TRI-BUILT® EF ECO GEN II PART 2		
PRODUCT CODE:	100000029840	DISTRIBUTED BY:	Beacon Sales Acquisition, Inc.
PRODUCT TYPE:	Adhesive	ADDRESS:	505 Huntmar Park Drive, Suite 300
PRODUCT USE:	Adhesive		Herndon, VA 20170
MANUFACTURER:	HB FULLER	PHONE:	571-323-3939
ADDRESS:	1200 Willow Lake Boulevard	INTERNET:	www.becn.com
	Vadnais Heights, MN 55110		
PHONE:	1-888-423-8553		
EMERGENCY PHONE:	MEDICAL EMERGENCY PHONE NUMBER (24 HOURS): 1-888-853-1758		
	TRANSPORT EMERGENCY PHONE NUMBER (CHEMTREC): 1-800-424-9300		

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a compressed gas
Color	colorless
Odor	sweet

GHS Classification

Gases under pressure	: Compressed gas
Skin sensitization	: Category 1
Germ cell mutagenicity	: Category 2
Reproductive toxicity	: Category 1B
Specific target organ toxicity - repeated exposure	: Category 1

GHS label elements

Hazard pictograms	:			
Signal Word	:	Danger		

Hazard Statements:

TRI-BUILT® EF ECO GEN II PART 2

H280 Contains gas under pressure; may explode if heated. H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects. H360 May damage fertility or the unborn child. H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements:

Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dusts or mists. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P363 Wash contaminated clothing before reuse.

Storage: P405 Store locked up. P410 + P403 Protect from sunlight. Store in a well-ventilated place.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
carbon dioxide	124-38-9	5 - 10
Diethylene glycol	111-46-6	1 - 5
dibutylbis(dodecylthio)stannane	1185-81-5	1 - 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : If on clothes, remove clothes.
Take the victim into fresh air.
Show this material safety data sheet to the doctor in attendance.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

TRI-BUILT® EF ECO GEN II PART 2

If inhaled	: Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of unconsciousness bring patient into stable side position for transport.
In case of skin contact	: Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
In case of eye contact	: Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
If swallowed	: If accidentally swallowed obtain immediate medical attention. Rinse mouth with water. If conscious, drink plenty of water. Do NOT induce vomiting. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: May cause an allergic skin reaction. Suspected of causing genetic defects. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.
Notes to physician	: No further relevant information available.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water mist Dry powder Carbon dioxide (CO2) Alcohol-resistant foam
Unsuitable extinguishing media	: Water with a full water jet
Specific hazards during fire fighting	: May release toxic, irritating and/or corrosive gases. In case of fire, the following substance(s) may occur: Carbon monoxide
Specific extinguishing methods	:
Further information	: In the event of fire, wear self-contained breathing apparatus. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

TRI-BUILT® EF ECO GEN II PART 2

Special protective equipment for fire-fighters : No special protective measures against fire required.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Use personal protective equipment. Use breathing protection against the effects of fumes/dust/aerosol. Evacuate personnel to safe areas. Ensure adequate ventilation.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Prevent the material from reaching sewage system, holes and cellars. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Non-sparking tools should be used. Ensure adequate ventilation. Send for recovery or disposal in suitable containers. Dispose of contaminated material as waste according to section 13.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: Avoid formation of dust and aerosols. Use only with adequate ventilation. Take note of emission threshold. Use solvent-proof equipment. Ensure that suitable extractors are available on processing machines. Handle with care. Keep eye wash bottle available on working place. Avoid release to the environment. Keep out of reach of children. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Do not spray on an open flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep away from children.
Conditions for safe storage	: Keep dark, cool and dry. Store in cool place.

TRI-BUILT® EF ECO GEN II PART 2

Materials to avoid :

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m3	OSHA Z-1
		TWA	10,000 ppm 18,000 mg/m3	OSHA P0
		STEL	30,000 ppm 54,000 mg/m3	OSHA P0
		PEL	5,000 ppm 9,000 mg/m3	CAL PEL
		STEL	30,000 ppm 54,000 mg/m3	CAL PEL
dibutylbis(dodecylthio)stannane	1185-81-5	TWA	0.1 mg/m3	OSHA Z-1
		TWA	0.1 mg/m3	ACGIH
		STEL	0.2 mg/m3	ACGIH
		TWA	0.1 mg/m3	OSHA P0
		TWA	0.1 mg/m3	NIOSH REL

Engineering measures : Please take note of national and local requirements.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
In case of brief exposure or low pollution (exceeding of TLV) use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
Ensure that suitable extractors are available on processing machines.

Hand protection
Remarks

: The glove material has to be impermeable and resistant to the product/the substance/the preparation.

TRI-BUILT® EF ECO GEN II PART 2

The exact break through time can be obtained from the protective glove producer and this has to be observed.

The gloves need to be disposed after the penetration time and replaced by new ones.

Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.

For the permanent contact gloves made of the following materials are suitable:

If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the Barrier 02-100 underglove from Ansell or other suppliers (penetration time: 480 min).

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber (minimum thickness: 0.7 mm; penetration time: 15 min)

As protection from splashes gloves made of the following materials are suitable:

Nitril (minimum thickness 0.12 mm), Disposable gloves with long cuffs

After contact with the chemical preparation, take the disposable nitrile glove off immediately and put on a new disposable nitrile glove.

Eye protection	: Tightly fitting safety goggles
Skin and body protection	: Protective clothing
Protective measures	: Keep away from food, drink and animal feeding stuffs. Instantly remove any soiled and impregnated garments. Wash hands before breaks and immediately after handling the product. Avoid contact with the eyes and skin. Store protective clothing separately.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a compressed gas
Color	: colorless
Odor	: sweet
Odor Threshold	: is not determined

TRI-BUILT® EF ECO GEN II PART 2

pH	: is not determined
Melting point/freezing point	: is not determined
Evaporation rate	: is not determined
Relative vapor density	: is not determined
Density	: 1 g/cm ³
Solubility(ies)	
Water solubility	: not miscible or difficult to mix
Partition coefficient: n-octanol/water	: no data available
Autoignition temperature	: is not determined
Thermal decomposition	: Not applicable
Explosive properties	: Product is not explosive. However, formation of explosive vapor/air mixtures is possible.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No further relevant information available.
Chemical stability	: No decomposition if used according to the specifications.
Possibility of hazardous reactions	: Develops readily flammable vapors/fumes.
Conditions to avoid	: No further relevant information available.
Incompatible materials	: No further relevant information available.
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

TRI-BUILT® EF ECO GEN II PART 2

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Diethylene glycol :

Partition coefficient: n-octanol/water : log Pow: -1.47

Mobility in soil

Product:

Mobility : Medium: Soil
Remarks: Do not allow product to reach ground water, water bodies or sewage system.

Other adverse effects

No data available

TRI-BUILT® EF ECO GEN II PART 2

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- | | | |
|------------------------|---|---|
| Waste from residues | : | <p>Do not dispose of with domestic refuse.
Do not dispose of waste into sewer.
Hand over to disposers of hazardous waste.
The generation of waste should be avoided or minimized wherever possible.
Incinerate under controlled conditions in accordance with all local and national laws and regulations.
Disposal must be made according to official regulations.</p> |
| Contaminated packaging | : | <p>Disposal must be made according to official regulations.</p> |

SECTION 14. TRANSPORT INFORMATION

International Regulations

IMDG-Code

- | | | |
|----------------------|---|---|
| UN number | : | UN 3500 |
| Proper shipping name | : | CHEMICAL UNDER PRESSURE, N.O.S.
(Carbon Dioxide) |
| Class | : | 2.2 |
| Packing group | : | Not assigned by regulation |
| Labels | : | 2.2 |
| EmS Code | : | F-C, S-V |
| Marine pollutant | : | yes |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

- | | | |
|----------------------|---|---|
| UN/ID/NA number | : | UN 3500 |
| Proper shipping name | : | Chemical under pressure, n.o.s.
(Carbon Dioxide) |
| Class | : | 2.2 |
| Packing group | : | Not assigned by regulation |
| Labels | : | NON-FLAMMABLE GAS |
| ERG Code | : | 126 |
| Marine pollutant | : | yes |

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

TRI-BUILT® EF ECO GEN II PART 2

- SARA 311/312 Hazards** : Gases under pressure
Respiratory or skin sensitization
Germ cell mutagenicity
Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)
- SARA 302** : This material does not contain any components with a section 302 EHS TPQ.
- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

US State Regulations

California Prop 65 Please contact Supplier for more information.

The ingredients of this product are reported in the following inventories:

TSCA All substances listed as active on the TSCA inventory
DSL All components of this product are on the Canadian DSL
Please reach out to H.B. Fuller for further information regarding chemical inventories not listed above.
Inventories Legend TSCA (USA), DSL (Canada), REACH(Europe), AIC (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)


SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Department
AP-Regulaostry@hbfuller.com

TRI-BUILT® EF ECO GEN II PART 2

Further information

NFPA:



HMIS III:

HEALTH	3*
FLAMMABILITY	1
PHYSICAL HAZARD	3

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.



TRI-BUILT® EF-ECO GEN II PART 2
TRI-BUILT® SPRAYABLE SINGLE-PLY BONDING ADHESIVE