


TRI-BUILT® VENTILATION PRODUCTS



BUILT TO WORK



550 PRO




FEATURES:

- Low profile design
- Top and base available in aluminum or galvanized steel construction
- Tool-less removable top
- One-piece molded plastic collar for enhanced weather protection and pest resistance



Available Colors



KITCHEN PRO™



FEATURES:

- Use with 6" - 8" round or 3¼" x 10" ductwork
- Galvanized steel construction with environmental epoxy finish
- Built-in pest screen
- Aluminum draft damper
- Integrated flange
- Designed for fast and easy installation
- Used to vent kitchen fans and other exhaust fans*

P60 PRO




FEATURES:

- Patent pending design
- Inner guard stops pest intrusion
- 18" x 16" mesh screen for enhanced weather protection
- Low profile design
- Pure impact-resistant polypropylene will not dent



Available Colors




BATH PRO™



FEATURES:

- Use with 3" or 4" round ductwork.
- Galvanized steel construction with environmental epoxy finish
- Built-in pest screen.
- Aluminum gravity draft damper flap
- Integrated flange
- Designed for fast and easy installation
- Used to vent bath fans and other exhaust fans*

750 PRO




FEATURES:

- Designed to prevent roof discoloration
- Three sides louvered for greater air flow
- Embossed aluminum finishes for added strength, extended paint life, and blending appearance with shingles

Also available in a larger version 770 and 770-D as a twin 770; off ridge vent



Available Colors



12" & 14" Whirleybird® Wind Turbine




FEATURES:

- Permanently lubricated upper and lower ball bearings that ensure long life and no maintenance
- All-aluminum rust-free construction
- 21 air-foil curved vanes with rolled edges to deflect water
- Exclusive vari-pitch base adjusts to 12/12 roof pitch
- Tested to withstand winds of 110 m.p.h.
- Big Whirly - 14" moves up to 37% more air than the 12"

COLORS AVAILABLE - B SERIES



Lo-Omni Roll®



FEATURES:

- Pneumatic nail gun or hammer installed
- Two coils of 1¾" nails provided
- Patented design brings you the truly functional roll out
- Compact 30 foot roll is easy to handle
- Superior weather protection and performance with no filter to clog
- **Lifetime Limited Warranty**



OmniRidge® Pro




FEATURES:

- Advanced low profile design.
- Includes 2½" ring shank nails, 30 nails per piece
- Internal baffles
- External "Omni" baffles
- External Venturi baffle
- "Posi-tabs" contour to shingles for improved weather protection
- **Lifetime Limited Warranty**



Lo-OmniRidge®



FEATURES:

- Sonic welded fiberglass screen provides enhanced weather protection
- Pneumatic nail gun or hammer installed
- Four drain holes per foot per side
- 11 square inches of net free area per linear foot
- External venturi baffle
- Nail holes marked every 6 inches—supported every foot
- Preformed to 3/12 pitch



Deck-Air® DA-4



FEATURES:

- 2½" ring shank nails included
- Made from the same durable, long lasting and field tested material as the Omni Series vents
- Fits roof pitches 3/12 to 16/12
- Unique design provides enhanced weather protection
- Integrated end plug every 2 inches
- 9 square inches of Net Free Area per linear foot
- Molded nail lines
- **Lifetime Limited Warranty**

